

Post Test

1. Which of the following is NOT a type of chest trauma?
 - A. Penetrating
 - B. Blunt
 - C. Rupture
 - D. None of the above.
2. The only way to get penetrating chest trauma is from a gun shot wound or stabbing.
 - A. True
 - B. False
3. Which of the following is NOT a category for blunt chest trauma?
 - A. Acceleration
 - B. Deceleration
 - C. Compression
 - D. Stabbing
4. What is the most common type of chest trauma?
 - A. Flail chest
 - B. Pneumothorax
 - C. Rib fractures
 - D. Subcutaneous emphysema
5. With a flail chest, during inspiration the flail segment will?
 - A. Be pushed in an outward direction.
 - B. Be pulled inward in a paradoxical motion.
 - C. Will move with the normal motion of the rib cage.
 - D. None of the above.
6. Management of a pulmonary contusion includes all the following EXCEPT:
 - A. Provide ventilatory support.
 - B. Control pain.
 - C. Provide adequate oxygenation.
 - D. Perform a pleural decompression.
7. Which injury could possibly produce bubbling of blood and/or air at the injury site?
 - A. Tension pneumothorax
 - B. Pulmonary contusion
 - C. Open pneumothorax
 - D. Subcutaneous emphysema
8. Distended neck veins are a sign of a?
 - A. Tension Pneumothorax
 - B. Flail chest
 - C. Rib fractures
 - D. Subcutaneous emphysema